Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(modif$5 adj2 printer$2 adj2 driver$2) with select$8\	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:59
S1	3	("6181436").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:55
S2	2	("20010017704").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 17:03
S3	2	ep-943355-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:40
S4	2	ep-942355-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 12:41
S5	2	("6125748").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 12:42
S6	2	("5689626").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 12:42
S7	2	("5133919").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 12:42
S8	2	(secret$5 adj2 keep$5) with driver$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:14

S9	2	("6301013").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 14:45
S10	6	(automatic$5 set$5) near4 (secret$5) with print$5 adj2 driver$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:55
S11	2	("6469796").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 14:56
S12	2	("6125748").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 15:45
S13	3	("5751923" | "5809879" | "5873659").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/21 15:45
S14	0	(auto$8 near2 (set$5 provide$2)) with (secret$5) with driver$52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:56
S15	0	(auto$8 near2 (set$5 provide$2)) with (secret$5) same driver$52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:56
S16	6	(auto$8 near2 (set$5 provide$2)) with (secret$5) same setting$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:57
S17	1	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (set$5 select$5) with secret$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:57
S18	0	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (set$5 select$5) with (confidential$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:58

S19	1	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (set$5 select$5) same (secret$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:58
S20	0	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (set$5 select$5) same (protection$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:58
S21	0	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (set$5 select$5) same (securit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:40
S22	1	(printer$2 adj2 driver$2) with (automatic$5) with (set$5 select$5) with (secret$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:59
S23	1	(printer$2 adj2 driver$2) same (automatic$5) same (set$5 select$5) same (secret$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:59
S24	679	(printer$2 adj2 driver$2) same (automatic$5) same (set$5 select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 15:59
S25	337	(printer$2 adj2 driver$2) with (automatic$5) with (set$5 select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:00
S26	54	(printer$2 adj2 driver$2) adj4 (automatic$5) adj4 (set$5 select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:00
S27	34	(printer$2 adj2 driver$2) adj4 (automatic$5) adj4 (select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:04
S28	2	S27 and @rlad<"20000224"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:01

S29	46	(printer$2 adj2 driver$2) adj4 (automatic$5) near4 (select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:05
S30	12	S29 not S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:04
S31	1	(printer$2 adj2 driver$2) adj4 (automatic$5) near4 (select$5 choos$5 chos$5) with (secret$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:06
S32	1	(printer$2 adj2 driver$2) with (automatic$5) with (select$5 choos$5 chos$5) with (secret$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:06
S33	58	(printer$2 adj2 driver$2) adj2 (automatic$5) with (select$5 choos$5 chos$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:09
S34	22	S33 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:07
S35	11	(printer$2 adj2 driver$2) adj2 (automatic$5) with (select$5 choos$5 chos$5) with (setting$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:14
S36	3	("6181436").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:41
S37	2	("6301013").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 16:55
S38	14	secret$5 adj2 keeping$5 with print$52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:57

S39	2	JP-09142001-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 16:59
S40	2	JP-08183238-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:00
S41	353	ENDO near4 TOSHIO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:00
S42	346	ENDO near4 TOSHIO.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:01
S43	2	JP-08039898-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:02
S44	0	Akiyaman near4 Hideki.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:03
S45	0	(Akiyaman near4 Hideki).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:03
S46	95	(Akiyama near4 Hideki).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:11
S47	3	("6181436").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 17:23
S48	0	(correlat$5 adj2 feature$2) with automat$5 adj2 select$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:33

S49	1	(automatic$5 adj2 select$5) with (correspond$5 adj2 featur$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:39
S50	11	(automatic$5 adj2 select$5) with (feature$2 adj2 featur$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:40
S51	0	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (set$5 select$5) with (correspond$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:41
S52	2	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (set$5 select$5) with (feature$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:49
S53	30	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (turn$5 select$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:47
S54	0	(printer$2 adj2 driver$2) adj2 (automatic$5) adj4 (default$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:47
S55	988	automatic$5 adj2 correspond$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:48
S56	1	automatic$5 adj2 correspond$2 same printer$2 adj2 driver@	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:48
S57	1	automatic$5 adj2 correspond$2 same printer$2 adj2 driver$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:48
S58	9	(printer$2 adj2 driver$2) adj2 (automatic$5) with default$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:50

S59	15	(printer$2 adj2 driver$2) adj2 (automatic$5) same default$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:50
S60	160	(printer$2 adj2 driver$2) adj2 (automatic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:51
S61	5	S60 and @rlad<"20000224"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:51
S62	48	S60 and @ad<"20000224",	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:08
S63	4	(modif$5 adj2 printer$2 adj2 driver$2) with autom$10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:58
S64	0	(modif$5 adj2 printer$2 adj2 driver$2) with select$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 17:59
S65	5	(modif$5 adj2 printer$2 adj2 driver$2) with default$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:00
S66	6	(modif$5 adj2 printer$2 adj2 driver$2) same default$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:01
S67	5	(modif$5 adj4 printer$2 adj2 driver$2) with default$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:01
S68	5	(modif$5 adj10 printer$2 adj2 driver$2) with default$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:01

S69	9	(modif$5 with printer$2 adj2 driver$2) with default$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:03
S70	9	S69 not S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:02
S71	4	S69 not S68	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:02
S72	53	(modif$5 adj2 printer$2 adj2 driver$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:07
S73	42	(adjust$5 adj2 printer$2 adj2 driver$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:08
S74	4	S73 and @ad<"20000224"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:09
S75	82	(modif$5 adj4 printer$2 adj2 driver$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:12
S76	19	S75 and @ad<"20000224"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:09
S77	3	(modif$5 adj4 printer$2 adj2 driver$2) near4 (featur$3 default$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:12
S78	3	(modif$5 with printer$2 adj2 driver$2) near4 (featur$3 default$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 18:12